

USB multiarranque

USB multiarranque

Un USB multiarranque é un USB que contén varias imaxes de cds almacenadas e permite escoller cal iniciar segundo sexa necesario.

Existen multitude de aplicacións para crear un USB multiarranque. No seguinte [enlace](#) podes atopar varias.

Neste caso imos utilizar [YUMI ? Multiboot USB Creator \(Windows\)](#), que permite crear un USB multiarranque con múltiples sistemas operativos, utilidades antivirus, aplicacións para a clonación, ferramentas de diagnóstico, etc.

O aspecto que presenta a interface de Yumi é o seguinte:


The image shows the YUMI 0.0.5.8 Setup window with several red callout boxes pointing to specific features:

- Desinstalar unha distribución**: Points to the "Remove an Installed Item?" checkbox.
- Seleccionar dispositivo**: Points to the drive letter selection dropdown (D:\) and the "ALL Drives Shown! (BE CAREFUL)" checkbox.
- Descargar ISO**: Points to the "Download the iso (Optional)." checkbox.
- Seleccionar distribución**: Points to the list of distributions, with "Ultimate Boot CD (Diagnostics Tools)" selected.
- Seleccionar ISO (o nome ten que concordar co patrón da imaxe)**: Points to the "Browse to your ubcd5*.iso -->" text box and the "Browse" button.

The YUMI window includes the following text and elements:

- Title bar: YUMI 0.0.5.8 Setup
- Logo: Pendrivelinux.com YUMI
- Section: Drive Selection and Distro Options Page
- Instructions: Choose your Flash Drive, and a Distro, ISO/ZIP file. Additional Distributions can be added each time this tool is run.
- Step 1: Select the drive letter of your USB device.
- Step 2: Select a Distribution from the following Box to put on your USB.
- Step 3: Browse and Select your ubcd5*.iso
- Buttons: Create, Cancel
- Footer: YUMI 0.0.5.8

Unha vez que teñamos configurado o USB con varias distribucións, probamos a iniciar unha máquina dende o USB. Para escoller o sistema que queiramos iniciar mostrarase unha imaxe similar á seguinte:



Nota: podemos utilizar un disco duro virtual que simule un USB para facer prácticas. Por problemas de arranque con algunhas distribucións, para poder iniciar algún sistema é necesario que o disco duro virtual sexa o primeiro da máquina.