

1 Gestão de correio eletrónico

[Anterior](#)

1.1 Sumario

- 1 Introdução
 - ◆ 1.1 Serviço de correio eletrónico
 - ◆ 1.2 Cliente vs Webmail
 - ◆ 1.3 Partes de um e-mail
 - ◆ 1.4 Ações
 - ◆ 1.5 Decálogo de boas práticas
 - ◆ 1.6 Queres saber mais?
- 2 Instalação e configuração inicial de Thunderbird

1.2 Introdução

1.2.1 Serviço de correio eletrónico

Permite intercambiar mensagens assíncronas entre vários destinatários.

O cliente tem de comunicar-se com dois tipos de servidores de correio:

- De entrada: IMAP ou POP3.
- De saída: SMTP.

1.2.2 Cliente vs Webmail

Cliente de correio eletrónico é uma aplicação que serve para enviar e receber e-mails: Thunderbird, Evolution, Outlook, etc.

Webmail permite aceder ao correio eletrónico através de um browser: Gmail, Hotmail, Yahoo, etc.

1.2.3 Partes de um e-mail

- Remetente (De) e destinatários (Para, CC, CCO).
- Assunto.
- Corpo da mensagem.
- Anexos.

1.2.4 Ações

- Responder: preenche o campo "Para".
- Responder a todos: preenche os campos "Para" e "CC".
- Reencaminhar: a única opção que mantém os anexos.
- Uso do campo "Responder a".

1.2.5 Decálogo de boas práticas

1. Verificar os endereços de e-mail.
2. O assunto deve resumir o conteúdo do e-mail.
3. Cumprimentar no início e no final.
4. Frases curtas e compreensíveis.
5. Assinar a mensagem.
6. Ler os e-mails e arquivá-los.
7. Responder os e-mails que me foram enviados diretamente (Para).
8. Manter limpa a caixa de entrada.
9. X
10. Corrigir a ortografia.

1.2.6 Queres saber mais?

Se quiseres, podes dar uma olhadela a estes outros manuais:


- [Teoria em galego \(professor Bruno Vila\)](#)
- [Teoria em galego \(professor Jesús Arribi\)](#)

1.3 Instalação e configuração inicial de Thunderbird

Atualmente, quando instalamos Thunderbird para utilizá-lo com uma conta de Gmail, autoconfiguram-se todos os parâmetros, mas antigamente havia que:

- No webmail de Gmail: Definições, Encaminhamento e POP/IMAP, Transferência via POP: A partir de agora, ativar o POP para o correio a receber.
- No cliente, utilizar [estes parâmetros](#)

Noutros clientes como o Evolution, deve-se configurar o servidor de recebimento de e-mails tal e qual explica no link anterior. Porém, no serviço de envio, em vez de TLS há que utilizar STARTTLS com autenticação de Google. A seguir, os pasos para configurar Thunderbird:



The screenshot shows the 'Set Up Your Existing Email Address' window in Thunderbird. It contains the following elements:

- Title:** Set Up Your Existing Email Address
- Instructions:** To use your current email address fill in your credentials. Thunderbird will automatically search for a working and recommended server configuration.
- Fields:**
 - Your full name:** A text box containing 'Ma' followed by a redacted area and an information icon.
 - Email address:** A text box containing a redacted area followed by '@iessandemente.net' and an information icon.
 - Password:** A text box with masked characters (dots) followed by a redacted area and a show/hide icon.
- Checkbox:** A checked checkbox labeled 'Remember password'.

✓ Configuration found in Mozilla ISP database.

Available configurations

☒ IMAP

Keep your folders and emails synced on your server

 **Incoming** **IMAP** **imap.gmail.com** SSL/TLS

 **Outgoing** **SMTP** **smtp.gmail.com** SSL/TLS

 **Username** **vence@iessandlemente.net**

☐ POP3

Keep your folders and emails on your computer

[Configure manually](#)

Cancel

Done

Your credentials will only be stored locally on your computer.

✓ Configuration found in Mozilla ISP database.

Available configurations

☐ IMAP

Keep your folders and emails synced on your server

☒ POP3

Keep your folders and emails on your computer

 **Incoming** **POP3** **pop.gmail.com** SSL/TLS

 **Outgoing** **SMTP** **smtp.gmail.com** SSL/TLS

 **Username** **vence@iessandlemente.net**

[Configure manually](#)

Cancel

Done

Your credentials will only be stored locally on your computer.

(Printscreen de 2022)

✓ Configuración atopada na base de datos de provedores de internet de Mozilla.

Configuracións dispoñíbeis

☒ IMAP

Gardar os seus cartafoles e correos electrónicos sincronizados co servidor



Entrante

IMAP

imap.gmail.com SSL/TLS



Saínte

SMTP

smtp.gmail.com SSL/TLS



Nome de usuario

vence@iessanclemente.net

☐ POP3

Gardar os seus cartafoles e correos electrónicos no seu computador

Manual configuration

INCOMING SERVER

Protocol:	IMAP
Hostname:	imap.gmail.com
Port:	993
Connection security:	SSL/TLS
Authentication method:	OAuth2
Username:	[redacted]@iessanclemente.net

OUTGOING SERVER

Hostname:	smtp.gmail.com
Port:	465
Connection security:	SSL/TLS
Authentication method:	OAuth2
Username:	[redacted]@iessanclemente.net

[Advanced config](#)

✓ Account successfully created

You can now use this account with Thunderbird.

You can improve the experience by connecting related services and configuring advanced account settings.

Mar [redacted]@iessanclemente.net IMAP

- ⚙ Account settings
- 🔒 End-to-end encryption
- ✍ Add a signature
- 📖 Download dictionaries

Connect your linked services

Thunderbird detected other services linked to your email account.

Address Books

Thunderbird found one address book linked to your email account.

- 🔗 Connect to a CardDAV address book
- 🔗 Connect to an LDAP address book


Calendars

Thunderbird found 15 calendars linked to your email account.



Not sure about your next steps?

[Getting started](#) - [Support forum](#) - [Privacy policy](#)



Configuração de corretores e guardar automaticamente:

